EPOS

ADAPT 600

Series

Maximize focus and productivity anywhere with a headset powered by EPOS Al™ for personal audio with superb call clarity, stereo sound and adaptive ANC. Enjoy a unique UC optimized solution with machine learning enhanced microphone performance. Certified for Microsoft Teams.













Ensure clear calls with UC certified solution

Certified for Microsoft Teams and optimized for UC

Superb call clarity powered by EPOS AI™

Machine learning developed algorithms optimize voice pick up, for a natural listening experience from three advanced microphones

with Alexa

Tap and hold to activate Alexa and stay on top of your day-today business. Never miss a meeting and plan your schedule both in and out of the office

Regain concentration anytime, anywhere


Four adaptive ANC microphone system monitors your working environment and adjusts noise reduction in open offices, while reducing wind noise outdoors

See more at eposaudio.com/adapt-600

What's in the Box



How to Use the **ADAPT 600**



Turning the headset on/off












ANC switch





Turns ANC Maximum mode on



Turns ANC Adaptive mode on; adjustable via the EPOS Connect app



Turns ANC off

Additional benefits & features



Switch effortlessly between your favorite devices

Enjoy multi-point connectivity via Bluetooth® to mobile and softphone simultaneously. BTD 800 USB or USB-C dongle connects to your PC.



Dedicated button for Microsoft Teams

One press launches Microsoft Teams on PC via the USB dongle



Stay in touch with your surroundings

Talk Through technology for listening to colleagues without removing the headset



Enhanced call quality

With advanced sidetone algorithms that remove background noise and improve your call experience



Benefit from 30 hours of battery life

Reliable performance wherever and however you work



Designed for mobile workers

Fold flat design with rotating ear cups to switch on and off



Simply swipe and tap

Features a touch pad for easy, efficient call and media control



Convenient charging and headset storage

All charging and wired connectivity accessories come in a handy headset carry case



Enjoy high-quality streaming

High-quality streaming with AptX™



Manage updates and settings on-the-go

Get updates and select voice assistant and audio profile on the go via the app

Product data

1/3

General

Wearing style	Over-ear, double-sided headband		
Headset weight	227 g / 8 oz		
Connectivity	Bluetooth® 5.0, audio cable (2.5 mm and 3.5 mm jack plugs), USB-A/USB-C cable with micro-USB connector		
Supported codecs	AptX [™] , AptX [™] low latency, AAC, SBC		
Warranty	2 years		
Audio			
Speaker frequency response	17 - 23,000 Hz		
Microphone type	Digital MEMs beamforming microphone (3 microphones)		
Microphone frequency response	150 - 6,800Hz		
Noise cancellation	Hybrid adaptive ANC technology with 4 microphones		
Total noise attenuation	Up to 30 dB		
Technical			
Charging time	3 hours		
Standby time	Up to 15 days		
Battery time	Up to 30 hours*		
Range	Up to 25 m / 82 ft (device dependent)		
Touch control	Yes		

^{*} ANC on, Bluetooth® off

Product data

What's in the box		
ADAPT 660 headset, BTD 800 USB-A dongle, USB cable with micro-USB connector, audio cable (2.5 mm and 3.5 mm jack plugs), carry case, safety guide, compliance sheet		
ADAPT 661 headset, BTD 800 USB-C dongle, USB-C cable with micro-USB connector, audio cable (2.5 mm and 3.5 mm jack plugs), carry case, safety guide, compliance sheet		
Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect		
Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager		
	ADAPT 660 headset, BTD 800 USB-A dongle, USB cable with micro-USB connector, audio cable (2.5 mm and 3.5 mm jack plugs), carry case, safety guide, compliance sheet ADAPT 661 headset, BTD 800 USB-C dongle, USB-C cable with micro-USB connector, audio cable (2.5 mm and 3.5 mm jack plugs), carry case, safety guide, compliance sheet Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect Manage, update and configure EPOS audio devices from any location -	

Product data

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 660 Art. no. 1000200	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco, Avaya and Alcatel Lucent	57 14708 00001 3	8 40064 40221 7
ADAPT 661 Art. no. 1001004	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams*, Webex by Cisco, Avaya and Alcatel Lucent	57 14708 00806 4	8 40064 40806 6

^{*}Microsoft Teams certification applies when USB-A/USB-C dongle or cable is connected to PC or Mac $\!\!^{\circ}$.

Spare parts

Product	Art. no.	Description	EAN code	UPC code
Carry case	1000420	Protective carry case for headset, USB dongle and cables	57 14708 00221 5	8 40064 40221 7
USB-A cable	1000421	USB-A cable with micro-USB connector. Cable length 1.2 meter	57 14708 00222 2	8 40064 40222 4
USB-C cable	1001127	USB-C cable with micro-USB connector. Cable length 1.2 meter.	57 14708 00929 0	8 40064 40929 2
3,5 mm jack cable	1000212	1,5 mm audio cable	57 14708 00013 6	8 40064 40013 8
USB-A dongle	1000227	The USB dongle provides connection to all Bluetooth® devices in the ADAPT Series	57 14708 00028 0	8 40064 40028 2
USB-C dongle	1000206	Connect any EPOS Bluetooth® audio device quickly and easily to your PC or Mac and tablet	57 14708 00007 5	8 40064 40007 7
Earpads	1000418	Spare earpads in black leatherette	57 14708 00219 2	8 40064 40219 4

Appendix

Transducer principle	Dynamic, closed	
Supported Bluetooth® profiles		
Impedance active	490 ohms / Passive 46 ohms	
Sound pressure level (SPL)	Max. 118 dB limited by EPOS ActiveGard®	
Total harmonic distortion (THD)	<0.5% (1kHz, 100dB)	
Contact pressure	3 N	
Voice prompts	Yes (EN, DE, FR, ES, ZH, JA, KO)	
Sound effect modes	Yes (club, movie, speech, director-user defined)	
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line	
EU Noise at Work Limiter®	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday	